

21ST Oct 2013

URGENT SERVICE ADVISORY

To all owners and operators of Nissan Diesel CK330, CW330, CW380, CW400, CG380 & CG400 vehicles manufactured between 1993 and 2005.

Due to a poor response to an advisory sent out to the then owners in February 2012 there is an urgent need to re issue that advisory.

A recent instance of a vehicle rolling away after the driver had exited the cab has shown that the message hasn't been communicated to operators as UD Trucks and the CVIU had expected.

The reason for this last accident was due to the driver not ensuring that the park brake valve was properly applied and locked in the park position before he exited the cab.

In this case there was no fault found with the valve and it operated as it was designed to do.

UD truck Distributors (NZ) Ltd recommends that the park brake valve be inspected at every service to ensure that the lever has no build-up of foreign materials between the lever shaft and the valve body and that the valve is in good working condition.

The service intervals and inspections should be more frequent for vehicles operating in adverse and dusty conditions.

If the park brake control valve shows any signs of stiffness in operation or the lever does not properly lock in the park position, the vehicle must not be operated until the valve is rectified or replaced.

As a reminder to the drivers of these vehicles to ensure that the park brake is correctly applied and locked before exiting the cab, UD Truck Distributors has produced a warning label to be placed in the cab. See fitting instructions included.

If your listed vehicle does not have the label attached or your park valve is in urgent need of repair, please contact your nearest UD Trucks /Nissan Diesel service agent or contact UD Trucks directly on the above numbers.

Please also see this advisory under recalls on our web site.

A list of UD Trucks service agents and their contact details are included with this advisory.

If you do not use an authorised UD Trucks service agent you should provide your service provider with a copy of this advisory

Yours Sincerely

John Gerbich General Manager

Bryan Musgrave National Aftersales Manager

TO FIT THIS LABEL

- 1. Ensure that the surface is clean and free of dust. If necessary wipe with cleaning solution.
- 2. Peel backing from label and apply firmly to the area indicated.

